Author Index

Ackland T, 85
Adams L, 109
Ades P, 80, 154
Alomari M, 321
Andreas PE, 178
Arbab-Zadeh A, 38
Arena R, 93, 273
Ayabe M, 96

Babyak MA, 143
Backes RC, 170
Bailey WC, 234
Bamroongsuk V, 282
Banyasz RE, 40
Barefoot JC, 143
Berra K, 418
Berry MJ, 96
Bethell HJN, 253
Blackhurst D, 161
Bock BC, 261
Braga M, 7
Brochu M, 80, 154
Brooks D, 53
Brubaker PH, 96
Brummett BH, 143

Cahalin LP, 7
Cao J, 80
Carey MF, 282
Carrieri-Kohlman V, 109
Carter R, 298
Cho S, 399
Choucair W, 178
Chun S, 399
Clapp-Channing N, 143
Colland VT, 201
Colleran JA, 178
Comoss P, 334
Conti JB, 278
Coutoulakis E, 178
Cox CA, 385
Crandall CG, 38
Crijns HJGM, 47
Curtis A, 278

Dawson B, 31
Day KL, 338
de Greef M, 47
de Jongste MJL, 47
Demir-Deviren S, 109
Devlen J, 184
Dobrosielski DA, 96
Dotson CO, 178
Duda J, 109
Dugmore D, 264
Durstine JL, 161, 385

Eberhardt R, 199
Eckel RH, 168
Emery CF, 40
Epstein A, 410
Evans JA, 253
Everaerd W, 201

Farmer C, 178
Fattirolli F, 22
Feigenbaum MS, 161
Fernhall B, 178
Foster C, 170
Francis CC, 168
Franklin BA, 418
Frid DJ, 40
Froelicher F, 399
Fumagalli S, 22

Gardner AW, 192
Gavic AM, 329
Geerling RH, 282
Gerald LB, 234
Ghayoumi A, 399
Gielen S, 327
Gillies F, 421
Glazer KM, 40
Goddard JR, 253
Gold, WM, 109
Goldberg AP, 192
Goldstein RS, 148
Goodman C, 31
Goss JR, 410
Gosselink R, 290
Green DJ, 85
Greenland P, 73
Griffis JT, 278
Grandjean PW, 383
Grothues C, 298
Gulanick M, 329
Guyatt G, 22

Hambrecht R, 327
Hare DL, 282
Harrison ST, 338
Harvey IM, 338
Harvey-Berino J, 154
Heins NL, 201
Hendricks M, 161
Hernandez ED, 7
Hillis W, 421
Hiramori K, 105
Holiday DB, 298
Hughes AR, 421
Humphrey R, 93, 273
Hung J, 31

Jupp R, 161

Kaelin M, 122
Kalb D, 321
Kamata H, 105
Kamata J, 105
Karlsdottir AE, 170
Katzel LI, 192
Keaney JF, 225
Kirk AF, 421
Kobayashi N, 105
Kokkinos PF, 178
Kozar LF, 53
Kozora E, 426
Kramer V, 329
Krum H, 282
Kuipers T, 85
Kwakkel G, 290

Lacasse Y, 148
Lee M, 154
Levine BD, 38
Lewin RJP, 184
Lewis TS, 278

MacIntyre PD, 421
Maiorana AJ, 85
Maguire P, 184
Make B, 426
Maltais F, 148
Marchionni N, 22
Mark DC, 143
Martin CR, 184
Matsuo Y, 7
Maynard C, 410
McBride P, 245
McGee HM, 264
Menzies DG, 282
Merz CNB, 251
Michaelson S, 184
Middel B, 47
Miller HS, 96
Morise AP, 408
Morton RL, 122
Mullee MA, 253
Mutrie N, 421
Myers J, 89, 399

Narayan P, 178
Newbold E, 53
Nguyen HQ, 105
Nwasuruba C, 298

O'Driscoll JG, 85
Oldridge N, 2

Palmer-McClean K, 170
Parish TR, 321
Patterson J, 282
Paul S, 109
Peberdy MA, 93, 273
Perkins A., 22
Porcari JP, 170
Prpic R, 31

Raxwal V, 399
Rey J, 329
Rijssenbeek-Nouwens LHM, 201
Rivera M, 53
Rudkin ST, 338

Savage P, 80
Savage PD, 154
Schepers D, 264
Sears SF, 278
Selig SE, 282
Senn M, 161
Siegler IC, 143
Sorkin JD, 192
Stewart R, 47
Stocks J, 298
Stuckey N, 184
Stulbarg MS, 109

Thompson DR, 184
Thompson PD, 385
Tiep B, 298
Toia D, 282
Tran ZV, 426
Tsang AH, 109
Turner SC, 253

Ueshima K, 105

van Daele P, 264
van den Heuvel WJA, 47
van Stel HF, 201
van 't Hul A, 290
Vanhees L, 264
Vita JA, 225
Vitcenda M, 245

Wallace RL, 278
Walsh J, 31
Watson S, 161
Watts K, 85
Webster WA, 161
Welsch MA, 321
White RJ, 338
White-Kube R, 170
Williams AD, 282
Williams RB, 143
Wood RH, 321
Wracker C, 161
Wyman R, 245

2002

Subject Index

AACVPR. *See* American Association of Cardiovascular and Pulmonary Rehabilitation
Abstracts
  AACVPR 2002 Annual Meeting, 347
  CACR 12th Annual Meeting and Symposium, 370
Adherence to cardiac rehabilitation
  issues in, 261
  psychological predictors of, 40
Adherence to exercise
  for intensive versus distributed interventions, 371
  short-term, exercise consultation and, 421
Adolescent females, pulmonary rehabilitation after near-fatal asthma in, 122
Advice, comparison with pulmonary rehabilitation, for COPD, 338
Aerobic exercise, hemodynamic responses during, 170
Aerobic power testing, with congestive heart failure, 282
African Americans
  community-based cardiovascular risk reduction program for, 355
  women, predictors of depression in, 359
Age, and increase in heart rate recovery during cardiac rehabilitation, 366
American Association of Cardiovascular and Pulmonary Rehabilitation (AACVPR)
  AACVPR News, 69, 138, 223, 319, 383
  AACVPR Program Certification, 138
  2002 Annual Meeting, 345
  2002 Annual Meeting abstracts, 347
Anger, as risk factor, 361
Angina, cardiovascular limitations in, validation of, 184
Antioxidants, in atherosclerosis, 225
Asthma, near-fatal, pulmonary rehabilitation after, 122
Atherosclerosis, antioxidant protection in, 225

Beta-blockers
  effects on heart rate reserve in coronary heart disease, 353
  effects on maxHR and rate pressure product during exercise stress tests, 370
Blood pressure
  exercise response, determinants of, 178
  interventions for lowering, 361
  rate pressure product, beta-blockers and, during exercise stress tests, 370
  resistance exercise training response, during hemodialysis, 352
  during submaximal exercise in overweight mild hypertension, 358
  Valsalva maneuver response, combined with exercise test results, 368
Body composition, and follow-up attendance in lifestyle modification programs, 363
Breathing, diaphragmatic, in COPD, literature review, 7
Brief rehabilitation, in COPD, neurobehavioral improvement after, 426
Brooke Army Medical Center, cardiac rehabilitation outcomes at, 365
Bypass surgery
  lawn mowing and sternal integrity after, 351
  self-reported health status after, 410
  thermoregulatory responses in men after, 31

C-reactive protein
  modulation by cardiac rehabilitation, 366
  plasma levels, and lipid profiles, 367
CABG surgery. *See* Coronary artery bypass graft surgery
CACR. *See* Canadian Association of Cardiac Rehabilitation
Calcitonin spray, in heart transplant recipients, 351
California Pulmonary Rehabilitation Collaborative Project (CPRCP), 348, 356
Canada, healthcare and heart care in, 140
Canadian Association of Cardiac Rehabilitation (CACR)
  12th Annual Meeting and Symposium, 224
  12th Annual Meeting and Symposium abstracts, 370
  CACR News, 71, 140, 224
  President's Report December 2001, 71
Carbohydrates, low-fat high-complex carbohydrate diet, in hypertriglyceridemia, 355
Carbon dioxide, minute ventilation-carbon dioxide production (V_E/VCO_2), MLWHFQ and, 273
Cardiac Care Network of Ontario (CCN), Ontario Cardiac Rehabilitation Pilot Project, 5
Cardiac rehabilitation
  6-minute walk performance in, in North Carolina, 352
  adherence to, issues in, 261
  age-related increase in heart rate recovery during, 366
  assessment of dietary fat intake in, 168
  averaged session heart rates in, 368
  barriers to psychological counseling in, 362
  C-reactive protein and IL-6 modification by, 366
  Clinical Practice Guideline Decision Tree for Cardiac Rehabilitation Services, expansion of, 368
  after coronary revascularization, 418
  depression screening and treatment in, 360
  dietary interventions in, 364
  in EU states, 264
  integration of enhanced external counterpulsation treatment into, 360
  lipid-lowering therapy at entry into, 80
  medical surveillance during, 358

number needed to treat (NNT) in, 22
Ontario Cardiac Rehabilitation Pilot Project, 5
Orlistat effects in, 366
outcomes at Brooke Army Medical Center, 365
outcomes measurement in, 334
patient characteristics and outcomes of, 253
and patient survival, 360
phase 2
in diabetes, 362
double product and SF-2 physical indicators in, 365
screening for peripheral arterial disease in, 359
phase IV, exercise consultation and short-term adherence to exercise during, 421
predictors of exercise maintenance after, 355
psychological predictors of outcomes in, 40
quality-of-life improvement in, 367
quality-of-life measures in, 349
quality-of-life scores after, 363
remodeling into secondary prevention programs, 251
and self-reported health status after CABG surgery, 410
small artery compliance after, 365
stress management programs for, 373
surveillance of cholesterol management in, 245
temporal trends in risk characteristics in, 359
weight reduction in, 154
CArdiac Rehabilitation INformation Exchange (Carinex) survey, 264
Cardiac rehabilitation programs
in coronary heart disease, economic evidence on, 367
duration and contact frequency of, 354
length of
effects on functional capacity and physical activity levels, 372
effects on psychological distress and health-related quality of life, 372
outcomes in Illinois, 329
phase 2
in depression, 366
educational status and outcomes of, 349
effects on serum lipids and lipoproteins, 349
perceived health status and outcomes in, 355
in peripheral arterial disease, 349
women's-only, 363
predictors of compliance in, 373
risk factor and lifestyle trends after, 374
VAS Q Assessment for, 364
Cardiac surgery, 6-minute walk test early after, 351
Cardiopulmonary rehabilitation, dietary supplement usage during, 361
Cardiorespiratory fitness, and exercise blood pressure response, 178
Cardiovascular disease risk factors, of YMCA Health Heart maintenance members, 374
Cardiovascular disease risk reduction programs, with low-fat high-complex carbohydrate diet, in hypertriglyceridemia, 355
Cardiovascular fitness, and follow-up attendance in lifestyle modification programs, 363
Cardiovascular Limitations and Symptoms Profile (CLASP), 184
Cardiovascular risk reduction programs, community-based
in African Americans versus Caucasians, 355
in diabetes, 354
in metabolic syndrome, 362
in prediabetes, 362
Caucasians
community-based cardiovascular risk reduction program for, 355
women, predictors of depression in, 359
CCN. *See* Cardiac Care Network of Ontario
Children with cystic fibrosis, sex differences in predictors of 6-minute walk performance in, 348
Cholesterol management
rehabilitation programs for, 319
surveillance of, 245
Chronic coronary artery disease, exercise testing in male veterans with, 399
Chronic disease rehabilitation programs, assessment of dietary fat intake in, 161
Chronic heart failure, venous function in, 327
and exercise tolerance, 321
Chronic obstructive pulmonary disease
acute effects of noninvasive ventilatory support in, 290
diaphragmatic breathing in, literature review, 7
Duke Activity Status Index (DASI) and, 298
global initiative for, 234
inspiratory muscle training in, 347
neurobehavioral improvement after brief rehabilitation in, 426
pulmonary rehabilitation in
versus advice, 338
in elderly females, 347
CLASP. *See* Cardiovascular Limitations and Symptoms Profile
Claudication, exercise for, 199
long-term, 192
Clinical Practice Guideline Decision Tree for Cardiac Rehabilitation Services, expansion of, 368
Communication, with coronary heart disease patients, 47
Community-based cardiovascular risk reduction programs
in African Americans versus Caucasians, 355
in diabetes, 354
in metabolic syndrome, 362
in prediabetes, 362
Compliance, predictors of, 373
Congestive heart failure, isokinetic strength and aerobic power testing with, 282
Coronary artery bypass graft surgery
cardiac rehabilitation and self-reported health status after, 410
lawn mowing and sternal integrity after, 351
thermoregulatory responses in men after, 31
Coronary artery disease
beta-blockers and heart rate reserve in, 353
beta-blockers and maxHR and rate pressure product during exercise stress testing in, 370
chronic, exercise testing in male veterans with, 399
economic evidence on cardiac rehabilitation programs in, 367
exercise target heart rate in, determination of, 369
graded exercise test termination at 85% in, 367
health status assessment in, 47
predictors of, 143
resting metabolic rate and lean body mass in men with, 351
small artery compliance after cardiac rehabilitation in, 365
smoking cessation in
stepped-care approach to, 363
Coronary revascularization, cardiac rehabilitation after, 418
Counseling, psychological, barriers to, 362
CPRCP. *See* California Pulmonary Rehabilitation Collaborative Project
Cystic fibrosis, sex differences in predictors of 6-minute walk performance in children with, 348

DASI. *See* Duke Activity Status Index
Decision making, with exercise testing, 408
Depression
and outcomes in cardiac rehabilitation, 40
phase 2 cardiac rehabilitation in, 366
predictors of, in African American and white women, 359
screening for, 360

treatment of, 360
Diabetes
community-based cardiovascular risk reduction program in, 354
phase 2 cardiac rehabilitation in, 362
Diaphragmatic breathing, in COPD, literature review, 7
Dietary fat intake, assessment of, 161, 168
Dietary interventions
effectiveness of, 364
low-fat high-complex carbohydrate diet, in hypertriglyceridemia, 355
Dietary supplements, 361
Distress, psychological, cardiac rehabilitation program length and, 372
Diurnal variation of heart rate reserve, beta-blockers and, in coronary heart disease, 353
Double product, in phase 2 cardiac rehabilitation, 365
Duke Activity Status Index (DASI)
in COPD, 298
in heart failure, 93
Dyspnea
acute effects of noninvasive ventilatory support on, 290
evaluation by oxygen consumption exercise thallium, 368
exercise training and self-management of, 109
FEV_1 percent and, 347

Economic evidence, on cardiac rehabilitation programs for coronary heart disease, 367
Educational status, and clinical outcomes, 349
EECP treatment. *See* Enhanced external counterpulsation treatment
Elderly
equations for VO_{2max} in, 350
female, pulmonary rehabilitation in, 347
Electrocardiography telemetry monitoring, home-based exercise with, post-MI, 105
ELMI. *See* Extensive lifestyle management intervention
Endurance, acute effects of noninvasive ventilatory support on, 290
Energy cost, of vacuuming, 365
Enhanced external counterpulsation (EECP) treatment, integration into cardiac rehabilitation, 360
European Union (EU), cardiac rehabilitation activities in, 264
Exercise
acute effects of noninvasive ventilatory support during, 290
adherence to
intensive vs distributed interventions, 371
psychological predictors of, 40
short-term, exercise consultation and, 421
blood pressure response to, determinants of, 178
for claudication, 199
compliance with program, predictors of, 373
hemodynamic response to, 170
in right ventricular impedance sensor-driven pacemaker, 370
home-based, post-MI, 105
hypotension after, intensity threshold for, 357
individualized instruction in, and Internet, 349
left ventricular geometric pattern and capacity for, in hypertension, 357
lipids, lipoproteins and, 385
long-term, for claudication, 192
maintenance, predictors of, 355
oxygen pulse and, 373
oxygen uptake modulation by myocardial ischemia during, 357
QT interval during, measured vs predicted, 371
submaximal, blood pressure and left ventricular relative wall thickness during, 358
Talk Test for prescription of, 369
target heart rate for, determination of, 369
venous function and tolerance for, 321
Exercise consultation, and short-term adherence to exercise, 421
Exercise testing
beta-blocker effects on maxHR and rate pressure product during, 370
combined with thallium imaging, dyspnea evaluation by, 368
combined with Valsalva maneuver blood pressure response, 368
graded, termination at 85%, in CAD, 367
prognostic value in male veterans with chronic CAD, 399
prognostication and decision making with, 408
Exercise training
blood pressure response to, during hemodialysis, 352
and dyspnea self-management, 109
Exertion, perceived, rating of, and quality of life, 360
Expiratory pressure, flutter device and, 53
Extensive lifestyle management intervention (ELMI), after cardiac rehabilitation, 371

Fat
dietary, assessment of intake of, 161, 168
low-fat high-complex carbohydrate diet, in hypertriglyceridemia, 355
Females
adolescent, pulmonary rehabilitation after near-fatal asthma in, 122
elderly, pulmonary rehabilitation in, 347
Field tests, for adults, 357
Fitness
and exercise blood pressure response, 178
field tests for adults, 357
and follow-up attendance in lifestyle modification programs, 363
and hemostatic risk factors, 356
Flutter device, 53
Forced expiratory volume in 1 second (FEV_1), and dyspnea, 347
Functional capacity, cardiac rehabilitation program length and, 372

Gender differences
in health-related quality of life after pulmonary rehabilitation, 350
in predictors of 6-minute walk performance, 348
Geometric pattern, left ventricular, and exercise capacity in hypertension, 357
Global initiatives, for COPD, 234
Golf, metabolic demand of, 96
Graded exercise tests, termination at 85%, in CAD, 367

Health-related quality of life
cardiac rehabilitation program length and, 372
gender differences in, after pulmonary rehabilitation, 350
Health status
assessment of, in coronary heart disease, 47
perceived, and outcomes in phase 2 programs, 355
self-reported, cardiac rehabilitation and, 410
Heart disease
anger and hostility as risk factors for, 361
coronary
economic evidence on cardiac rehabilitation programs in, 367
exercise target heart rate in, determination of, 369
health status assessment in, 47
metabolic demand of golf in, 96
thermoregulation in, 38
Heart failure
chronic, venous function in, 327
and exercise tolerance, 321
congestive, isokinetic strength and aerobic power testing with, 282

Duke Activity Status Index (DASI) in, 93
rating of perceived exertion and quality of life in, 360
VO_{2peak} in
calculation of, 85
expression of, 89
Heart Fit Rx Diet Habits Survey (HFD), assessment of dietary fat intake, 161, 168
Heart rate
averaged session, 368
exercise target, determination of, 369
maximal (maxHR)
beta-blockers and, during exercise stress tests, 370
percentage of, for determination of exercise target heart rate, 369
recovery during cardiac rehabilitation, age-related increase in, 366
Heart rate pressure product, beta-blockers and, during exercise stress tests, 370
Heart rate reserve (HRR)
beta-blockers and, in coronary heart disease, 353
percentage of, for determination of exercise target heart rate, 369
Heart transplant recipients, nasal calcitonin spray in, 351
Hemodialysis, blood pressure response to resistance exercise training during, 352
Hemostatic risk factors, physical fitness and, 356
HFD. *See* Heart Fit Rx Diet Habits Survey
Home-based exercise, post-MI, 105
Hostility, as risk factor, 361
Hypertension
determinants of exercise blood pressure response in, 178
interventions for, 361
left ventricular geometric pattern and exercise capacity in, 357
mild, blood pressure during submaximal exercise in, 358
Hypertriglyceridemia, low-fat high-complex carbohydrate diet in, 355
Hypotension, postexercise, intensity threshold for, 357

ICDs. *See* Implantable cardioverter defibrillators
Illinois, cardiac rehabilitation program outcomes in, 329
Impedance sensor-driven pacemakers, right ventricular, hemodynamic response to exercise in, 370
Implantable cardioverter defibrillators, quality of life in recipients of, 278
Individualized exercise instruction, and Internet, 349
Inpatient pulmonary rehabilitation, patient's view of outcome in, 201
Inspiratory muscle training, in COPD, 347
Interleukin-6, modulation by cardiac rehabilitation, 366
Intermittent claudication, exercise for, 199
long-term, 192
Internet
cholesterol-oriented web sites, 320
individualized exercise instruction and, 349
Web sites to watch, 223
Ischemia, myocardial, modulation of oxygen uptake by, during exercise, 357
Ischemic threshold, Talk Test and, 369
Isokinetic strength testing, with congestive heart failure, 282

Lawn mowing, and sternal integrity after CABG surgery, 351
Lean body mass, and resting metabolic rate, in men with CAD, 351
Learning effect, in 6-minute walk test, 353
Left ventricular geometric pattern, and exercise capacity in hypertension, 357
Left ventricular relative wall thickness, blood pressure and, during submaximal exercise, 358
Lifestyle modification
extensive lifestyle management intervention (ELMI), 371
follow-up attendance in, 363
Lipid-lowering therapy, prevalence of, 80
Lipids
and exercise, 385
and plasma CRP levels, 367
Lipoproteins, and exercise, 385
Literature Update, 58, 126, 211, 309
Low-fat high-complex carbohydrate diet, in hypertriglyceridemia, 355
Lung disease, restrictive. *See also* Chronic obstructive pulmonary disease
outcomes analysis in, 353

Medical surveillance, 358
Men with coronary artery disease
male veterans, prognostic value of exercise testing in, 399
resting metabolic rate and lean body mass in, 351
Metabolic syndrome
community-based cardiovascular risk reduction programs in, 362
prevalence of, 348
Minnesota Living With Heart Failure Questionnaire (MLWHFQ), and ventilatory expired gas measures, 273
Minute ventilation-carbon dioxide production (V_E/VCO_2), MLWHFQ and, 273
MLWHFQ. *See* Minnesota Living With Heart Failure Questionnaire
Muscle training, inspiratory, in COPD, 347
Myocardial infarction
home-based exercise after, 105
yoga therapy after, 364
Myocardial ischemia, modulation of oxygen uptake by, during exercise, 357
Myocardial oxygen demand, of vacuuming, 365

Nasal calcitonin spray, in heart transplant recipients, 351
Neurobehavioral improvement, after brief rehabilitation in COPD, 426
NNT. *See* Number needed to treat
North Carolina cardiac rehabilitation
6-minute walk performance in, 352
quality-of-life measures in, 349
North Carolina pulmonary rehabilitation programs, quality of life after, 354
Number needed to treat (NNT), in cardiac rehabilitation, 22

Ontario Cardiac Rehabilitation Pilot Project, 5
Orlistat, effects in cardiac rehabilitation, 366
Outcomes
of cardiac rehabilitation
patient characteristics and, 253
psychological predictors of, 40
of cardiac rehabilitation at Brooke Army Medical Center, 365
of cardiac rehabilitation in Illinois, 329
educational status and, 349
perceived health status and, 355
of pulmonary rehabilitation, patient's view of, 201
of pulmonary rehabilitation in restrictive lung disease, 353
Outcomes measurement, in cardiac rehabilitation, 334
Overweight, blood pressure during submaximal exercise in, 358
Oxidative stress, vascular, in atherosclerosis, 225
Oxygen consumption
maximum (VO_{2max}), 350
peak (VO_{2peak})
calculation of, 85
expression of, 89
MLWHFQ and, 273
Oxygen consumption exercise thallium, dyspnea evaluation by, 368

Oxygen demand, myocardial, of vacuuming, 365
Oxygen pulse, and exercise intensity, 373
Oxygen uptake, modulation by myocardial ischemia during exercise, 357

Pacemakers
  measured vs predicted QT interval during exercise with, 371
  oxygen pulse and exercise intensity with, 373
  right ventricular impedance sensor-driven, hemodynamic response to exercise in, 370
Patient characteristics, and outcomes in cardiac rehabilitation, 253
Patient education, individualized exercise instruction, and Internet, 349
Patient's view of outcome, in inpatient pulmonary rehabilitation, 201
Perceived exertion, rating of, and quality of life, in heart failure, 360
Perceived health status, and outcomes in phase 2 programs, 355
Peripheral arterial disease
  clinical significance of, 73
  long-term exercise for claudication in, 192
  phase 2 cardiac rehabilitation program in, 349
  screening for, 359
  serum lipids and lipoproteins in, 349
Phase 2 cardiac rehabilitation
  in depression, 366
  in diabetes, 362
  double product and SF-2 physical indicators in, 365
  educational status and outcomes of, 349
  perceived health status and outcomes in, 355
  in peripheral arterial disease, 349
  screening for peripheral arterial disease in, 359
  and serum lipids and lipoproteins, 349
  women's-only program, pilot study, 363
Phase IV cardiac rehabilitation, exercise consultation and short-term adherence to exercise during, 421
Physical activity level, cardiac rehabilitation program length and, 372
Physical fitness
  field tests for adults, 357
  and hemostatic risk factors, 356
Plasma C-reactive protein, and lipid profiles, 367
Power testing, aerobic, with congestive heart failure, 282
Prediabetes, community-based cardiovascular risk reduction programs in, 362
Prevention, secondary prevention programs, remodeling cardiac rehabilitation into, 251
Prognostication with exercise testing, 408
  in male veterans with chronic CAD, 399
Psychological counseling, barriers to, 362
Psychological distress, cardiac rehabilitation program length and, 372
Psychological predictors of outcomes, in cardiac rehabilitation, 40
Pulmonary disease. *See* Chronic obstructive pulmonary disease
Pulmonary rehabilitation
  California Pulmonary Rehabilitation Collaborative Project (CPRCP), 348, 356
  comparison with advice, for COPD, 338
  in elderly females, 347
  after near-fatal asthma, in adolescent female, 122
  patient's view of outcome in, 201
  quality of life after, 367
    gender differences in, 350
    in North Carolina programs, 354
  in restrictive lung disease, outcomes analysis in, 353
  6-minute walk performance after, 353
  smoking cessation in, 148

QT interval, measured vs predicted, during exercise, 371
Quality of life
  after cardiac rehabilitation
    measures of, in North Carolina, 349
    program length and, 372
    versus pulmonary rehabilitation, 367
    scores, 363
    in ICD recipients, 278
    after pulmonary rehabilitation
    versus cardiac rehabilitation, 367
    gender differences in, 350
    in North Carolina programs, 354
  rating of perceived exertion and, in heart failure, 360

Rating of perceived exertion, and quality of life, in heart failure, 360
Rehabilitation. *See also* Cardiac rehabilitation; Pulmonary rehabilitation
  brief, neurobehavioral improvement after, in COPD, 426
  dietary supplement usage during, 361
  exercise, for claudication, 199
    long-term, 192
Rehabilitation programs
  assessment of dietary fat intake in, 161
  for cholesterol awareness and treatment, 319
Resistance training
  blood pressure response to, during hemodialysis, 352
  hemodynamic response to, 170
Resting metabolic rate, and lean body mass, in men with CAD, 351
Restrictive lung disease, outcomes analysis in pulmonary rehabilitation in, 353
Right ventricular impedance sensor-driven pacemakers, hemodynamic response to exercise in, 370

Secondary prevention programs, remodeling cardiac rehabilitation into, 251
Self-management, dyspnea, exercise training and, 109
Self-reported depression, phase 2 cardiac rehabilitation in, 366
Self-reported health status, cardiac rehabilitation and, after CABG surgery, 410
Sensor-driven pacemakers, right ventricular impedance, hemodynamic response to exercise in, 370
Sex differences
  in health-related quality of life after pulmonary rehabilitation, 350
  in predictors of 6-minute walk performance, 348
SF-12 physical indicators, in phase 2 cardiac rehabilitation, 365
Small artery compliance, after cardiac rehabilitation, 365
Smoking cessation
  predictors of, 143
  in pulmonary rehabilitation, 148
  stepped-care approach to, in coronary artery disease, 363
Stepping device, home-based exercise with, post-MI, 105
Sternal integrity, lawn mowing and, after CABG surgery, 351
Strength testing, with congestive heart failure, 282
Stress, oxidative, vascular, in atherosclerosis, 225
Stress management programs, 373
Surgery
  CABG
    cardiac rehabilitation and self-reported health status after, 410
    lawn mowing and sternal integrity after, 351
    thermoregulatory responses in men after, 31
  cardiac, 6-minute walk test early after, 351
Surveillance
  of cholesterol management, 245
  medical, 358
Survival, cardiac rehabilitation and, 360

Talk Test (TT)
for exercise prescription, 369
and ischemic threshold, 369
Telemetry, ECG monitoring, home-based exercise with, post-MI, 105
Thallium, oxygen consumption exercise, dyspnea evaluation by, 368
Thermoregulation
in cardiac disease, 38
in men after CABG, 31
Training
exercise, and dyspnea self-management, 109
inspiratory muscle, in COPD, 347
resistance
blood pressure response to, during hemodialysis, 352
hemodynamic response to, 170
Transplantation, heart transplant recipients, nasal calcitonin spray in, 351

Vacuuming, energy cost and myocardial oxygen demand of, 365
Valsalva maneuver blood pressure response, combined with exercise test results, 368
VAS Q Assessment, 364
Vascular oxidative stress, in atherosclerosis, 225
Venous function
in chronic heart failure, 327
and exercise tolerance, 321
Ventilatory expired gas measures, MLWHFQ and, 273
Ventilatory support, noninvasive, acute effects of, 290
Veterans with chronic CAD, male, prognostic value of exercise testing in, 399

Walking
6-minute test
early postcardiac surgery, 351
learning effect in, 353
in North Carolina cardiac rehabilitation programs, 352
after pulmonary rehabilitation, 353
sex differences in predictors of, 348
for claudication, 199
Web sites, 223
cholesterol-oriented, 320
Weight reduction, in cardiac rehabilitation, 154
Women
determinants of exercise blood pressure response in, 178
predictors of depression in, 359
Women's-only phase 2 cardiac rehabilitation programs, pilot study, 363

Yoga therapy, after myocardial infarction, 364
Young Men's Christian Association (YMCA) Healthy Heart Program, and cardiovascular risk factors, 374

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Act of August 12, 1970; Section 3685; Title 39 United States Code) Date of Filing—October 1, 2002. Title of Publication—*Journal of Cardiopulmonary Rehabilitation;* Frequency of Issue—Bimonthly; Annual Subscription Price—$95.00; Location of Known Office of Publication—Lippincott Williams & Wilkins, Inc., 16522 Hunters Green Parkway, Hagerstown, MD 21740-2116; Location of the Headquarters or General Business Offices of the Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Publisher—Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor—Gary Balady, MD, Boston University Medical Center, Preventive Cardiology, 88 East Newton Street, Boston, MA 02118; Managing Editor—Dana Fennewald, American Association of Cardiovascular and Pulmonary Rehabilitation, 401 North Michigan Avenue, Suite 2200, Chicago, IL 60611-4267; Owner—Lippincott Williams & Wilkins, 530 Walnut Street, Philadelphia, PA 19106; Wolters Kluwer, Stadouderskade 1, 1054 FS Amsterdam, Known Bond Holders, Mortgagees, and other security holders owning or holding 1 percent or more of the total amount of bonds, mortgages, or other securities—None. A. Total no. of copies printed (net press run), average 4,700, actual 4,600. B. Paid and/or requested circulation 1. Paid/requested outside-county mail subscriptions stated on form 3541, average 2,804, actual 3,084; 2. Paid in-county subscriptions, none; 3. Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, average 710, actual 696; 4. Other classes mailed through the USPS, none. C. Total paid and/or requested circulation [sum of B (1), (2), (3), and (4)], average 3,514, actual 3,780. D. Free distribution by mail (samples, complimentary, and other free), 1. Outside-county as stated on form 3541, average 144, actual 164; 2. In-county as stated on form 3541, none; 3. Other classes mailed through the USPS, none. E. Free distribution outside the mail (carriers or other means), average 34, actual 48. F. Total free distribution (sum of D and E), average 178, actual 212. G. Total distribution (sum of C and F), average 3,692, actual 3,992. H. Copies not distributed, average 1,008, actual 608. I. Total (sum of G and H), average 4,700, actual 4,600. Percent paid and/or requested circulation, average 95%, actual 95%. I certify that the statements made by me above are correct and complete. *Jeffrey Brown, Manager, Periodicals Operations.*